

Safety data sheet

Page: 1/13

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 28.05.2015 Version: 2.0

Product: MasterProtect 320 pastel col also MASTERSEAL F1120 PASTEL COL

(ID no. 30609505/SDS_GEN_EU/EN)

Date of print 29.05.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MasterProtect 320 pastel col also MASTERSEAL F1120 PASTEL COL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Product for construction chemicals

1.3. Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Construction Chemicals

Telephone: +49 621 60-74354

E-mail address: info.construction-chemicals@basf.com

1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

No need for classification according to GHS criteria for this product.

Date / Revised: 28.05.2015 Version: 2.0

Product: MasterProtect 320 pastel col also MASTERSEAL F1120 PASTEL COL

(ID no. 30609505/SDS_GEN_EU/EN)

Date of print 29.05.2015

According to Directive 67/548/EEC or 1999/45/EC

Possible Hazards:

No specific dangers known, if the regulations/notes for storage and handling are considered.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

The product does not require a hazard warning label in accordance with GHS criteria.

Labeling of special preparations (GHS):

EUH208: May produce an allergic reaction. Contains: 2-OCTYL-2H-ISOTHIAZOL-3-ONE

According to Directive 67/548/EEC or 1999/45/EC

Directive 1999/45/EC ('Preparation Directive')

The product does not require a hazard warning label in accordance with EC Directives.

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

Dispersion based on: acrylates, fillers, pigments in water

<u>Hazardous ingredients (GHS)</u> according to Regulation (EC) No. 1272/2008

ethanediol; ethylene glycol

Date / Revised: 28.05.2015 Version: 2.0

Product: MasterProtect 320 pastel col also MASTERSEAL F1120 PASTEL COL

(ID no. 30609505/SDS_GEN_EU/EN)

Date of print 29.05.2015

Content (W/W): >= 1 % - < 3 % CAS Number: 107-21-1

EC-Number: 203-473-3

REACH registration number: 01-

2119456816-28

NDEX-Number: 603-027-00-1

Acute Tox. 4 (oral) STOT RE (Kidney) 2

H302, H373

Isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol

Content (W/W): >= 1 % - < 3 % Aquatic Chronic 3

CAS Number: 25265-77-4 H412

EC-Number: 246-771-9

REACH registration number: 01-

2119441305-48

Hazardous ingredients

according to Directive 1999/45/EC

ethanediol; ethylene glycol

Content (W/W): >= 1 % - < 3 %

CAS Number: 107-21-1 EC-Number: 203-473-3

REACH registration number: 01-2119456816-28

INDEX-Number: 603-027-00-1

Hazard symbol(s): Xn R-phrase(s): 22, 48/22

Isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol

Content (W/W): >= 1 % - < 3 % CAS Number: 25265-77-4 EC-Number: 246-771-9

REACH registration number: 01-2119441305-48

R-phrase(s): 52/53

Quartz (SiO2)

Content (W/W): >= 0 % - < 0.2 %

CAS Number: 14808-60-7 EC-Number: 238-878-4 Hazard symbol(s): T R-phrase(s): 48/23

For the classifications not written out in full in this section, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Date / Revised: 28.05.2015 Version: 2.0

Product: MasterProtect 320 pastel col also MASTERSEAL F1120 PASTEL COL

(ID no. 30609505/SDS_GEN_EU/EN)

Date of print 29.05.2015

First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.

If inhaled:

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

On skin contact:

After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

foam, water spray, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons: water jet

5.2. Special hazards arising from the substance or mixture

See MSDS section 7 - Handling and storage.

5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do

Date / Revised: 28.05.2015 Version: 2.0

Product: MasterProtect 320 pastel col also MASTERSEAL F1120 PASTEL COL

(ID no. 30609505/SDS_GEN_EU/EN)

Date of print 29.05.2015

not allow to reach sewage or effluent systems. Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/aerosol/spray mists. Wear eye/face protection. If exposed to high vapour concentration, leave area immediately. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.

6.2. Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with inert absorbent material (e.g. sand, earth etc.). Dispose of contaminated material as prescribed.

For large amounts: Pump off product.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Avoid aerosol formation. Avoid inhalation of mists/vapours. Avoid skin contact. No special measures necessary provided product is used correctly.

7.2. Conditions for safe storage, including any incompatibilities

Suitable materials for containers: tinned carbon steel (Tinplate)

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect from direct sunlight.

Storage stability:

Storage temperature: 5 - 30 °C

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Date / Revised: 28.05.2015 Version: 2.0

Product: MasterProtect 320 pastel col also MASTERSEAL F1120 PASTEL COL

(ID no. 30609505/SDS_GEN_EU/EN)

Date of print 29.05.2015

Components with occupational exposure limits

107-21-1: ethanediol; ethylene glycol

TWA value 52 mg/m3; 20 ppm (OEL (EU))

indicative

STEL value 104 mg/m3; 40 ppm (OEL (EU))

indicative

Skin Designation (OEL (EU))

The substance can be absorbed through the skin.

1317-65-3: Limestone

13463-67-7: Titanium dioxide 14807-96-6: Talc (Mg3H2(SiO3)4)

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

impermeable gloves

Synthetic rubber gloves

Manufacturer's directions for use should be observed because of great diversity of types.

Eve protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

light protective clothing

General safety and hygiene measures

Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form: liquid

Colour: blue to green sweetish

Odour threshold:

No applicable information available.

Date / Revised: 28.05.2015 Version: 2.0

Product: MasterProtect 320 pastel col also MASTERSEAL F1120 PASTEL COL

(ID no. 30609505/SDS_GEN_EU/EN)

Date of print 29.05.2015

pH value: 10

(21 °C)

Melting point:

The product has not been tested.

Boiling point: 193 - 205 °C Flash point: > 100 °C

Evaporation rate:

not determined

Flammability: not flammable

Lower explosion limit:

not applicable

Upper explosion limit:

not applicable

Ignition temperature:

not applicable

Vapour pressure:

The product has not been tested.

Density: 1.40 g/cm3

(21 °C)

Relative vapour density (air):

not determined

Solubility in water: miscible

Self ignition: not self-igniting

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Viscosity, dynamic: 9,000 mPa.s

(20 °C)

Fire promoting properties: not fire-propagating

9.2. Other information

Bulk density:

not applicable

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

The product is stable if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

See MSDS section 7 - Handling and storage.

Date / Revised: 28.05.2015 Version: 2.0

Product: MasterProtect 320 pastel col also MASTERSEAL F1120 PASTEL COL

(ID no. 30609505/SDS_GEN_EU/EN)

Date of print 29.05.2015

10.5. Incompatible materials

Substances to avoid:

strong acids, strong bases, strong oxidizing agents, strong reducing agents

10.6. Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Based on available Data, the classification criteria are not met.

Irritation

Assessment of irritating effects:

No irritation is expected under intended use and appropriate handling. Based on available Data, the classification criteria are not met.

Respiratory/Skin sensitization

Assessment of sensitization:

A sensitizing effect on particularly sensitive individuals cannot be excluded. The product has not been tested. The statement has been derived from the properties of the individual components.

Germ cell mutagenicity

Assessment of mutagenicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

Carcinogenicity

Assessment of carcinogenicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

Reproductive toxicity

Assessment of reproduction toxicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

Date / Revised: 28.05.2015 Version: 2.0

Product: MasterProtect 320 pastel col also MASTERSEAL F1120 PASTEL COL

(ID no. 30609505/SDS_GEN_EU/EN)

Date of print 29.05.2015

Developmental toxicity

Assessment of teratogenicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No reliable data was available concerning repeated dose toxicity. Based on available Data, the classification criteria are not met.

Other relevant toxicity information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

Based on available Data, the classification criteria are not met. There is a high probability that the product is not acutely harmful to aquatic organisms.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

Inherently biodegradable. The insoluble fraction can be removed by mechanical means in suitable waste water treatment plants.

The polymer component of the product is poorly biodegradable.

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

No data available.

Discharge into the environment must be avoided.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Volatility: No data available.

12.5. Results of PBT and vPvB assessment

The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

Date / Revised: 28.05.2015 Version: 2.0

Product: MasterProtect 320 pastel col also MASTERSEAL F1120 PASTEL COL

(ID no. 30609505/SDS_GEN_EU/EN)

Date of print 29.05.2015

12.6. Other adverse effects

The product does not contain substances that are listed in Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer.

12.7. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Observe national and local legal requirements.

Residues should be disposed of in the same manner as the substance/product.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

SECTION 14: Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

RID

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

Date / Revised: 28.05.2015 Version: 2.0

Product: MasterProtect 320 pastel col also MASTERSEAL F1120 PASTEL COL

(ID no. 30609505/SDS_GEN_EU/EN)

Date of print 29.05.2015

user

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Transport in inland Not evaluated

waterway vessel:

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable

user

14.1. UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

14.2. UN proper shipping name

Date / Revised: 28.05.2015 Version: 2.0

Product: MasterProtect 320 pastel col also MASTERSEAL F1120 PASTEL COL

(ID no. 30609505/SDS_GEN_EU/EN)

Date of print 29.05.2015

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Regulation:
Shipment approved:
Pollution name:
Pollution category:
Ship Type:
Not evaluated
Not evaluated
Not evaluated
Not evaluated
Not evaluated

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

15.2. Chemical Safety Assessment

Chemical Safety Assessment not required

SECTION 16: Other Information

Full text of the classifications, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, if mentioned in section 2 or 3:

Xn Harmful. T Toxic.

22 Harmful if swallowed.

48/22 Harmful: danger of serious damage to health by prolonged exposure if

swallowed.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 28.05.2015

Version: 2.0

Product: MasterProtect 320 pastel col also MASTERSEAL F1120 PASTEL COL

(ID no. 30609505/SDS_GEN_EU/EN)

Date of print 29.05.2015

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

48/23 Also toxic: danger of serious damage to health by prolonged exposure

through inhalation.

Acute Tox. Acute toxicity

STOT RE Specific target organ toxicity — repeated exposure Aquatic Chronic Hazardous to the aquatic environment - chronic

H302 Harmful if swallowed.

H373 May cause damage to organs (Kidney) through prolonged or repeated

exposure.

H412 Harmful to aquatic life with long lasting effects.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.