System 800 **NEWTON 801-M MASTIC SEALANT** Sealing Mastic



Rev 2.0 - 12 January 2016

PRODUCT CODE - A18

1. Identification of the substance/mixture and of the company/undertaking

- Trade name
- Newton 801-M Mastic Sealant Relevant identified uses Professional use
- Uses advised against No additional information available
- **Company Address** Newton Waterproofing Systems, Newton House, 17-19 Sovereign Way, Tonbridge, Kent TN9 1RH
 - Web www.newtonwaterproofing.co.uk
 - Email address of the competent person

info@newtonwaterproofing.co.uk

+44 (0)1732 360 095 Emergency telephone number 9am - 5pm (GMT) Mon - Fri

2. Hazards identification

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified

LABEL ELEMENTS

- Labelling according to Regulation (EC) No. 1272/2008 [CLP]
 - EUH phrases : EUH208 Contains Methyl tris-(methyl ethyl ketoximo) silane,

Tetrakis(methylethylketoximino)silane, 3-aminopropyltriethoxysilane, 3-(2aminoethylamino)propyltrimethoxysilane. May produce an allergic reaction EUH210 - Safety data sheet available on request

Other hazards

No additional information available

3. Composition/information on ingredients

Substance

Not applicable

Mixture

Name	Product identifier	%	Classification	Specific concentration limits
Methyl tris-(me- thyl ethyl ketoxi- mo) silane	(CAS No) 22984-54-9 (EC no) 245-366-4 (REACH-no) 01- 2119987100-43	1 - 5	Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT RE 2, H373	(C >= 3,755) Skin Sens. 1, H317
2-Pentanone, O,O',O"-(methylsi- lylidyne)trioxime	(CAS No) 37859-55-5 (EC index no) 484-460-1	0,1 - 2,5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 STOT RE 2, H373	

Full text of H-phrases: see section 16

4. First aid measures

DESCRIPTION OF FIRST AID MEASURES

- First-aid measures after inhalation Move to fresh air
- · First-aid measures after skin contact Wash skin with mild soap and water
- First-aid measures after eye contact Rinse immediately with plenty of water. If eye irritation persists: Get medical advice/attention
- First-aid measures after ingestion Rinse mouth

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

- Symptoms/injuries after inhalation Not expected to present a significant inhalation hazard under anticipated conditions of normal use
- Symptoms/injuries after skin contact

Not expected to present a significant skin hazard under anticipated conditions of normal use

- Symptoms/injuries after eye contact Not expected to present a significant eye contact hazard under anticipated conditions of normal use
 Symptoms/injuries after ingestion
 Not expected to present a significant ingestion hazard under anticipated
- conditions of normal use INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED
- No additional information available

5. Firefighting measures

EXTINGUISHING MEDIA

Suitable extinguishing media
 All extinguishing media allowed

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Fire hazard : Not flammable
 Not combustible

ADVICE FOR FIREFIGHTERS

No additional information available

6. Accidental release measures

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

General measures

Wear suitable protective clothing and gloves No additional information available

- For emergency responders
 No additional information available
- ENVIRONMENTAL PRECAUTIONS
- Avoid release to the environment.

For non-emergency personnel

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

• Methods for cleaning up

Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal

REFERENCE TO OTHER SECTIONS

No additional information available

9

NEWTON 801-M MASTIC SEALANT Sealing Mastic

7. Handling and storage

PRECAUTIONS FOR SAFE HANDLING

Precautions for safe handling
 Do not eat, drink or smoke when using this product.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage conditions

Store tightly closed in a dry and cool place 12 months

Maximum storage period 12 month Storage temperature 5 - 25 °C

SPECIFIC END USE(S)

No additional information available

8. Exposure controls/personal protection

CONTROL PARAMETERS

METHANOL (67-56-1)

EU	IOELV TWA (mg/m ³)	260 mg/m ³
EU	IOELV TWA (ppm)	200 ppm
EU	Skin	
United Kingdom	WEL TWA (mg/m³)	266 mg/m ³
United Kingdom	WEL TWA (ppm)	200 ppm
United Kingdom	WEL STEL (mg/m ³)	333 mg/m ³
United Kingdom	WEL STEL (ppm)	250 ppm

EXPOSURE CONTROLS

- Personal protective equipment
- Hand protection
- Eye protection
- Respiratory protection



Gloves. Safety glasses.

In case of repeated or prolonged contact wear gloves

Safety glasses

Ensure adequate ventilation, especially in confined areas. No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

9. Physical and chemical properties

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

- Physical state Liquid
 - Paste Appearance
- Colour Transparent. Clear
- Odour Characteristic
 - 1,4 g/cm³ Density
- Solubility Water: Insoluble

OTHER INFORMATION

No additional information available

10. Stability and reactivity

Reactivity

- No dangerous reactions known under normal conditions of use
- Chemical stability Stable under normal conditions
- Possibility of hazardous reactions None under normal use
- Conditions to avoid No additional information available
- Incompatible materials
- Hazardous decomposition products None under normal conditions

11. Toxicological information

INFORMATION ON TOXICOLOGICAL EFFECTS

Acute toxicity

NEWTON SYSTEM 800 - DAMP PROOFING

Not classified

METHYL TRIS-(METHYL ETHYL KETOXIMO) SILANE (22984-54-9)

LD50 oral rat	2463 mg/kg (OECD 401 method)
LD50 dermal rat	> 2000 mg/kg (OECD 402 method)
 Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity 	Not classified Not classified Not classified Not classified Not classified

No additional information available

METHYL TRIS-(METHYL ETHYL KETOXIMO) SILANE (22984-54-9)

NOAEL (chronic, oral, animal/male, 2 years) > 692,06 mg/kg bodyweight (OECD 414 method) > 230,69 mg/kg bodyweight (OECD 416 method)

NOAEL (chronic, oral, animal/female, 2 years)

Reproductive toxicity

Not classified

NEWTON 801-M MASTIC SEALANT Sealing Mastic

- Specific target organ toxicity (single exposure Not classified
- Specific target organ toxicity (repeated exposure)

Not classified

METHYL TRIS-(METHYL ETHYL KETOXIMO) SILANE (22984-54-9)

NOAEL (oral, rat, 90 days)

Aspiration hazard

Not classified

12. Ecological information

TOXICITY

NEWTON SYSTEM 800 - DAMP PROOFING

METHYL TRIS-(METHYL ETHYL KETOXIMO) SILANE (22984-54-9)

LC50 fish 1	96h \geq 120 mg/l Oncorhynchus mykiss (Rainbow trout)	
EC50 Daphnia 1	48h 231,84 mg/l (OECD 202 method)	
EC50 other aquatic organisms 1	72h 18,45 mg/l (OECD 201 method)	
LC50 fish 2	96h 972,34 mg/l (OECD 203 method)	
ErC50 (algae)	72h 94 mg/l Pseudokirchneriella subcapitata	
NOEC (acute)	57,67 mg/l (OECD 204 method)	
NOEC (chronic)	>= 115,34 mg/l (OECD 211 method)	

PERSISTENCE AND DEGRADABILITY

METHYL TRIS-(METHYL ETHYL KETOXIMO) SILANE (22984-54-9)

Biodegradation

28d 20 % (OECD 301C method)

29 mg/kg bodyweight/day (OECD 408 method)

BIOACCUMULATIVE POTENTIAL

METHYL TRIS-(METHYL ETHYL KETOXIMO) SILANE (22984-54-9)

Log Pow

9,83

MOBILITY IN SOIL

METHYL TRIS-(METHYL ETHYL KETOXIMO) SILANE (22984-54-9)

Log Pow

5,481 EPA (Environmental Protection Agency)

RESULTS OF PBT AND VPVB ASSESSMENT

No additional information available

Newton House, 17-19 Sovereign Way, Tonbridge, Kent, TN9 1RH T: +44 (0)1732 360 095 W: www.newtonwaterproofing.co.uk E: info@newtonwaterproofing.co.uk

NEWTON 801-M MASTIC SEALANT Sealing Mastic

OTHER ADVERSE EFFECTS

No additional information available

Disposal considerations

WASTE TREATMENT METHODS

- Regional legislation (waste) Disposal must be done according to official regulations.
- European List of Waste (LoW) code
- 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances 08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09

14. Transport information

IN ACCORDANCE WITH ADR / RID / IMDG / IATA / ADN

- **UN** number Not regulated for transport
- UN proper shipping name Not applicable
- Transport hazard class(es) Not applicable
- Packing group Not applicable
- Dangerous for the environment: No Environmental hazards
 - No supplementary information available
 - Special precautions for user Overland transport - No data available
- Transport in bulk according to Annex II of MARPOL 73/78 and IBC Code Not applicable

15. Regulatory information

SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

EU-Regulations

NEWTON SYSTEM 800 - DAMP PROOFING

- Contains no substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances
- National regulations No additional information available
- CHEMICAL SAFETY ASSESSMENT
- No additonal information available

16. Other information

FULL TEXT OF H- AND EUH-PHRASES

Acute Tox. 4 (Oral) Acute toxicity (oral), Category 4 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Skin Sens. 1 Sensitisation — Skin, category 1 STOT RE 2 Specific target organ toxicity — Repeated exposure, Category 2 H302 Harmful if swallowed H317 May cause an allergic skin reaction H319 Causes serious eye irritation H373 May cause damage to organs through prolonged or repeated exposure EUH208 Contains . May produce an allergic reaction EUH210 Safety data sheet available on request

© Newton Waterproofing Systems

(a trading name of John Newton & Co. Ltd.)

Newton House, 17-19 Sovereign Way, Tonbridge, Kent, TN9 1RH

T: +44 (0)1732 360 095 W: www.newtonwaterproofing.co.uk E: info@newtonwaterproofing.co.uk