

## SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/5

## RonaBond Easy Skim FC

Revision 0 Revision date 2012-01-09

### 1.1. Product identifier

Product name RonaBond Easy Skim FC
Product code PC475

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PROC5] Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact); [ERC5] Industrial use resulting in inclusion into or onto a matrix; [AC4] Stone, plaster, cement, glass and ceramic articles;

## 1.3. Details of the supplier of the safety data sheet

Company	Ronacrete Limited	
Address	Ronac House	
	Ronac House Flex Meadow	
	Harlow	
	Essex CM19 5TD	

Web United Kingdom www.ronacrete.co.uk +44 (0) 1279 638700 +44 (0) 1279 638701 technical@ronacrete.co.uk

## 1.4. Emergency telephone number

Emergency telephone number	+44 (0) 1279 638700	
	Davtime	

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

	Xi; R37/38-41-43
1999/45/EC	Symbols: Xi: Irritant.

Main hazards Irritating to respiratory system and skin. Risk of serious damage to eyes. May cause sensitisation by skin contact.

## 2.2. Label elements

Symbols	Xi: Irritant.

Risk phrases R37/38 - Irritating to respiratory system and skin.

R41 - Risk of serious damage to eyes.

R43 - May cause sensitisation by skin contact.

Safety phrases S2 - Keep out of the reach of children.

S22 - Do not breathe dust.

Revision 0
Revision date 2012-01-09

2.2. Label elements

Laber elements	
	S24 - Avoid contact with skin.
	S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	S37/39 - Wear suitable gloves and eye/face protection.
autionary Phrases	P13 - Contains chromium (VI). May produce an allergic reaction.

## SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

Preca

#### 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Portland Cement Clinker (Portland cement total inhalable dust)	1	65997-15-1			30 - 40%	

## SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Immediately rinse with plenty of water for 15 minutes. Seek medical attention.
Skin contact	Remove contaminated clothing. Immediately wash with soap and water. Seek medical attention if irritation or symptoms persist.
Ingestion	Do not induce vomiting. Rinse mouth thoroughly. Drink plenty of water. Seek medical advice and show this safety data sheet or label.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

This product is not flammable and will not aid combustion with other materials.

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes and skin. Wear full protective, waterproof clothing and a dust mask. Wear suitable gloves and eye/face protection. Wear waterproof rubber footwear such as Wellington boots. Refer to section 8.2.1.

## 6.2. Environmental precautions

Avoid formation of dust. Contain spillage and do not allow to contaminate soil and drains or watercourses.

## 6.3. Methods and material for containment and cleaning up

Dry product - Use clean up methods that do not cause airborne dispersion, eg: an industrial vacuum cleaner, or spray with a fine mist of water prior to shovelling up the resultant slurry.

Wet product - Shovel up and place into plastic containers. Allow to harden before disposal (see section 13).

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Wear full protective, waterproof clothing and a dust mask. Wear waterproof gloves and eye/face protection. Wear waterproof rubber footwear such as Wellington boots. The product chemically reacts and hardens when mixed with water. The reaction is exothermic, resulting in a temperature rise. If large quantities are exposed to sufficient quantities of water, steam can be formed and the temperature may increase enough to cause a risk of burns during the reaction.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry area.

Revision 0
Revision date 2012-01-09

7.2. Conditions for safe storage, including any incompatibilities			
Suitable packaging	Paper or plastic sacks, or buckets with secure lids.		
7.3. Specific end use(s)			
	Do not eat, drink or smoke in areas where this product is used or stored.		
Further information			
	If stored correctly, as detailed above and used within the declared shelf life shown on the bag, the activity of the reducing agent* will be maintained and this product will contain, when mixed with water, no more than 0.0002% (2ppm) soluble chromium (VI) of the total dry weight of cement. Use of this product beyond the declared shelf life may increase the risk of an allergic reaction.  *Added to control the level of soluble chromium (VI).		


## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

### 8.1.1. Exposure Limit Values

Portland Cement Clinker (Portland cement respirable	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 4
dust)		
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
Portland Cement Clinker	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
(Portland cement total inhalable		
dust)		
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -

#### 8.2. Exposure controls



## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties



Revision 0
Revision date 2012-01-09

## 9.1. Information on basic physical and chemical properties

State	Powder
Colour	Grey
Odour	Slight
Solubility	Slightly soluble in water

## SECTION 10: Stability and reactivity

#### 10.2. Chemical stability

Stable under normal conditions. This product must be kept dry (refer to 7.1).

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

	amounts may lead to irritation of the gastrointestinal tract.
Skin corrosion/irritation	Causes burns. Skin irritation and dermatitis.
Serious eye damage/irritation	Strong caustic effect. Serious eye damage/irritation.
Respiratory or skin sensitisation	May cause irritation to mucous membranes. May cause respiratory irritation.
Repeated or prolonged exposure	Repeated or prolonged exposure may cause dermatitis. Chronic exposure to respirable dust in excess of WEL may cause coughing, shortness of breath and eventually chronic obstructive lung disease.

#### 11.1.4. Toxicological Information

Swallowing small amounts of this product is unlikely to cause any significant problems. Larger amounts may lead to irritation of the gastrointestinal tract.

Swallowing small amounts of this product is unlikely to cause any significant problems. Larger

## **SECTION 12: Ecological information**

## Further information

No known adverse environmental effects.

## **SECTION 13: Disposal considerations**

#### Disposal methods

Mix product with water, allow to harden, then dispose of according to local or national guidelines.

## Disposal of packaging

Containers must be recycled in compliance with national legislation and environmental regulations.

## SECTION 14: Transport information

## ADR/RID

The product is not classified as dangerous for carriage.

## **IMDG**

The product is not classified as dangerous for carriage.

## IATA

The product is not classified as dangerous for carriage.

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
	of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of
	Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC
	and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94
	as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC,
	93/105/EC and 2000/21/EC.



Revision 0
Revision date 2012-01-09

	110.0000, 4000 = 1.12 + 1.12	
SECTION 16: Other information		
Other information		
Text of risk phrases in Section	R37/38 - Irritating to respiratory system and skin.	
3	R41 - Risk of serious damage to eyes.	
	R43 - May cause sensitisation by skin contact.	
Further information		
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.	





## SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/4

## RonaBond Easy Skim FC Gauging Liquid

Revision 0
Revision date 2012-01-10

	Revision date 2012-01-10
SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	RonaBond Easy Skim FC Gauging Liquid
Product code	PC476
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PROC5] Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact); [ERC5] Industrial use resulting in inclusion into or onto a matrix; [AC4] Stone, plaster, cement, glass and ceramic articles;
1.3. Details of the supplier of the	e safety data sheet
Company	Ronacrete Limited
Address	Ronac House Flex Meadow Harlow Essex CM19 5TD United Kingdom
Web	www.ronacrete.co.uk
Telephone	+44 (0) 1279 638700
Fax	+44 (0) 1279 638701
Email	technical@ronacrete.co.uk
1.4. Emergency telephone num	ber
Emergency telephone number	+44 (0) 1279 638700 Daytime
SECTION 2: Hazards identif	ication
2.1. Classification of the substa	nce or mixture
Main hazards	No Significant Hazard
2.2. Label elements	
Risk phrases	No Significant Hazard.
SECTION 3: Composition/inf	formation on ingredients
3.1. Substances	
	No hazardous ingredients.

attention if irritation or symptoms persist.

symptoms persist.

Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.

Remove contaminated clothing. Wash with soap and water. Seek medical attention if irritation or

Bathe the eye with running water for 15 minutes. May cause irritation to eyes. Seek medical

SECTION 4: First aid measures
4.1. Description of first aid measures

Inhalation

Eye contact

Skin contact

## RonaBond Easy Skim FC Gauging Liquid

Revision Revision date 2012-01-10

## 4.1. Description of first aid measures

Ingestion DO NOT INDUCE VOMITING. Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. Show this data sheet to the doctor.

## SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Use as appropriate:. Carbon dioxide (CO2). Dry chemical. Foam.

#### 5.2. Special hazards arising from the substance or mixture

On evaporation of water, the residue may burn, producing irritating, toxic and obnoxious fumes.

## SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel to a safe area. Ensure adequate ventilation of the working area. Wear suitable protective clothing, gloves and eye/face protection.

#### 6.2. Environmental precautions

Do not empty into drains. Prevent further spillage if safe.

#### 6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material, Transfer to suitable, labelled containers for disposal, Clean spillage area thoroughly with plenty of water. Do not allow product to enter drains.

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Adopt best Manual Handling considerations when handling, carrying and dispensing. Ensure adequate ventilation of the working area. Do not use storage vessels or pipework made of aluminium, copper or their alloys.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store between 5 and 35 degrees C, protect from frost and direct sunlight. Keep containers tightly closed

## SECTION 8: Exposure controls/personal protection

## 8.2. Exposure controls









## 8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

8.2.2. Individual protection measures

Eye / face protection

Approved safety goggles.

Skin protection -

Wear disposable waterproof gloves.

Handprotection Skin protection - Other

Protective clothing is recommended, including waterproof gloves and boots.

Occupational exposure controls

This product may contain low levels of organic compounds or ammonia which may evaporate during application and drying

Adopt best Manual Handling considerations when handling, carrying and dispensing.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties



## RonaBond Easy Skim FC Gauging Liquid

Revision Revision date 2012-01-10

#### 9.1. Information on basic physical and chemical properties

Liquid State Colour Off white

Odour Characteristic

Relative density Miscible in

0.9 - 1.1 (Water = 1 @ 20 °C)

## SECTION 10: Stability and reactivity

## 10.2. Chemical stability

Stable under normal conditions

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

This product does not contain any substances classified as hazardous to health.

#### **SECTION 12: Ecological information**

#### 12.3. Bioaccumulative potential

No bioaccumulation potential.

#### **Further information**

Do not allow product to enter drains

## **SECTION 13: Disposal considerations**

#### General information

Do not empty into drains; dispose of this material and its container in a safe way.

## Disposal methods

Mix at the prescribed level with sand and cement, allow to harden then dispose of as dry waste.

## Disposal of packaging

Containers must be recycled in compliance with national legislation and environmental regulations.

## **SECTION 14: Transport information**

## ADR/RID

The product is not classified as dangerous for carriage.

#### **IMDG**

The product is not classified as dangerous for carriage.

## IATA

The product is not classified as dangerous for carriage.

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

## **SECTION 16: Other information**

## **Further information**

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information



# RonaBond Easy Skim FC Gauging Liquid

Revision 0
Revision date 2012-01-10

Further information	
	relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.

