

Revision Date 16.02.2016

Version 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] 2 Water Plug

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Concrete and mortar admixture

1.3 Details of the supplier of the safety data sheet

Company	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire AL71BQ United Kingdom
Telephone	:	+44 (0)1707 394444

1.4 Emergency telephone number

Emergency telephone num- : +44 (0)1707 363899 (available during office hours) ber

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Type of product : Mixture

Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Category 1A Serious eye damage, Category 1 Specific target organ toxicity - single exposure, Category 3, Respiratory system H314: Causes severe skin burns and eye damage.

- H318: Causes serious eye damage.
- H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		!
Signal word	:	Danger	•
Hazard statements	:	H314 H335	Causes severe skin burns and eye damage. May cause respiratory irritation.
Precautionary statements	:	P101	If medical advice is needed, have product container or label at hand.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Sika® 2 Water Plug



Revision Date 16.02.2016	Version 4.0		Print Date 16.02.
	P102 Prevention :	Keep out of reach of children	
	P271	Use only outdoors or in a wel area.	I-ventilated
	P280	Wear protective gloves/ prote eye protection/ face protectio	
	Response:		
	P301 + P330 + F	P331 IF SWALLOWED: Rinse NOT induce vomiting.	mouth. Do
	P303 + P361 + F	•	
	P304 + P340 + F	P310 IF INHALED: Remove per air and keep comfortable for 1 mediately call a POISON CEI tor/ physician.	breathing. Im-
	P305 + P351 + F	P338 + P310 IF IN EYES: Rin with water for several minutes contact lenses, if present and Continue rinsing. Immediately POISON CENTER or doctor/	s. Remove l easy to do. / call a
	Storage:		. ,
	P405 Disposal:	Store locked up.	
	P501	Dispose of contents/containe ance with local regulation.	r in accord-

Hazardous components which must be listed on the label:

- 215-687-4 Silicic acid, sodium salt
- 215-185-5 sodium hydroxide

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical Name CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
Silicic acid, sodium salt 1344-09-8 215-687-4 01-2119448725-31-XXXX	Skin Irrit.2; H315 Eye Dam.1; H318 STOT SE3; H335	>= 25 - < 50
sodium hydroxide 1310-73-2	Skin Corr.1A; H314 Met. Corr.1; H290	>= 1 - < 2

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Sika[®] 2 Water Plug



Revision Date 16.02.2016

Version 4.0

215-185-5

Eye Dam.1; H318

01-2119457892-27-XXXX

Print Date 16.02.2016

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures			
General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.	
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.	
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul- ty.	
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.	
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.	
4.2 Most important symptoms an	d e	ffects, both acute and delayed	
Symptoms	:	Cough Respiratory disorder Dermatitis See Section 11 for more detailed information on health effects and symptoms.	
Risks	:	Health injuries may be delayed. corrosive effects irritant effects	
		Causes serious eye damage. May cause respiratory irritation. Causes severe burns.	
4.3 Indication of any immediate medical attention and special treatment needed			
Treatment	:	Treat symptomatically.	



Revision Date 16.02.2016

Version 4.0

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.			
5.2 Special hazards arising from	the substance or mixture			
Hazardous combustion prod- ucts	: No hazardous combustion products are known			
5.3 Advice for firefighters				
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.			
Further information	: Standard procedure for chemical fires.			

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment.
	Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions	 Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
	respective autionities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	: Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For	



Revision Date 16.02.2016	Version 4.0	Print Date 16.02.20
	personal protection see section 8. Smoling should be prohibited in the application and hygiene measures when handling c	on area. Follow stand-
Advice on protection against fire and explosion	: Normal measures for preventive fire pro	otection.
Hygiene measures	: Handle in accordance with good industr practice. When using do not eat or drink smoke. Wash hands before breaks and	k. When using do not
7.2 Conditions for safe storage, i	cluding any incompatibilities	
Requirements for storage areas and containers	: Store in original container. Keep contain dry and well-ventilated place. Container must be carefully resealed and kept upr age. Observe label precautions. Store in local regulations.	s which are opened ight to prevent leak-
Other data	: No decomposition if stored and applied	as directed.
7.3 Specific end use(s)		
Specific use(s)	: No data available	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

Components	CAS-No.	Value	Control parame- ters *	Basis *
sodium hydroxide	1310-73-2	STEL	2 mg/m3	GB EH40

8.2 Exposure controls

	Personal protective equipment	
	Eye protection :	Safety glasses with side-shields Eye wash bottle with pure water Wear eye/face protection.
	Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
-		

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Sika® 2 Water Plug



Revision Date 16.02.2016	Version 4.0	Print Date 16.0
	Suitable for short time use or protection ag Butyl rubber/nitrile rubber gloves (0,4 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.),
Skin and body protection	: Protective clothing (e.g. Safety shoes acc. long-sleeved working clothing, long trouse and protective boots are additionaly recon and stirring work.	ers). Rubber aprons
Respiratory protection	: Respirator selection must be based on known exposure levels, the hazards of the producting limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 1 Ensure adequate ventilation. This can be a exhaust extraction or by general ventilation ods for determining inhalation exposure). ticular to the mixing / stirring area. In case to keep the concentrations under the occur limits then respiration protection measures	ct and the safe work- 0000 ppm achieved by local n. (EN 689 - Meth- This applies in par- this is not sufficent upational exposure

Environmental exposure controls		
General advice	 Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities. 	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	red
Odour	:	odourless
Odour Threshold	:	No data available
Flash point	:	Not applicable
Autoignition temperature	:	No data available
Lower explosion limit (Vol-%)	:	No data available

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Sika® 2 Water Plug

Print Date 16.02.2016

Revision Date 16.02.2016

Version 4.0

Upper explosion limit (Vol-%)	:	No data available
Flammability	:	No data available
Oxidizing properties	:	No data available
рН	:	12
Melting point/range / Freez-	:	No data available
ing point Boiling point/boiling range	:	No data available
Vapour pressure	:	No data available
Density	:	1,3 g/cm3 at 20 °C
Water solubility	:	soluble
Partition coefficient: n- octanol/water	:	No data available
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	> 7 mm2/s at 40 °C
Relative vapour density	:	No data available
Evaporation rate	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Sika[®] 2 Water Plug



 Revision Date 16.02.2016
 Version 4.0
 Print Date 16.02.2016

 Materials to avoid
 : No data available

10.6 Hazardous decomposition products

Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes severe burns.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Sika[®] 2 Water Plug

Print Date 16.02.2016

Revision Date 16.02.2016

Version 4.0

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	16 10 01* aqueous liquid wastes containing dangerous sub- stances
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

ADR Not dangerous goods IATA Not dangerous goods IMDG Not dangerous goods

14.6 Special precautions for user No data available

Sika[®] 2 Water Plug



Revision Date 16.02.2016

Version 4.0

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibition/Restriction REACH - Restrictions on the manufacture, placing on : Not applicable the market and use of certain dangerous substances, preparations and articles (Annex XVII) REACH - Candidate List of Substances of Very High : None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation : Not applicable (Annex XIV) **REACH Information:** All substances contained in our Products are - preregistered or registered by our upstream suppliers, and/or - preregistered or registered by us, and/or - excluded from the regulation, and/or - exempted from the registration. Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable VOC-CH (VOCV) : no VOC duties VOC-EU (solvent) : Not applicable

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ-	:	The Chemicals (Hazard Information and Packaging for Sup-
mental regulation/legislation		ply) Regulations 2002
specific for the substance or		Control of Substances Hazardous to Health Regulations 2002
mixture:		The Management of Health and Safety at Work Regulations
		1999
		Health and Safety at Work Act 1974
		Environmental Protection Act 1990 & Subsidiary Regulations

15.2 Chemical Safety Assessment

This product contains substances for which Chemical Safety Assessments are still required.

Revision Date 16.02.2016

Version 4.0



SECTION 16: Other information

Full text of H-Statements			
H290	May be corrosive to metals.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H318	Causes serious eye damage.		
H335	May cause respiratory irritation.		

Full text of other abbreviations

Eye Dam. Met. Corr. Skin Corr. Skin Irrit. STOT SE	Serious eye damage Corrosive to metals Skin corrosion Skin irritation Specific target organ toxicity - single exposure
ADR	Accord européen relatif au transport international des marchandises Dangereuses par Route
CAS DNEL	Chemical Abstracts Service Derived no-effect level
EC50	Half maximal effective concentration
GHS IATA	Globally Harmonized System International Air Transport Association
IMDG	International Maritime Code for Dangerous Goods
LD50	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	Occupational Exposure Limit
PBT	Persistent, bioaccumulative and toxic
PNEC	Predicted no effect concentration
REACH	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency
SVHC	Substances of Very High Concern
vPvB	Very persistent and very bioaccumulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !