

Sika Reemat Premium / Sika Reemat Premium 300

Glass fibre mat reinforcement

Product Description

Sika Reemat Premium and Sika Reemat Premium 300 are glass fibre reinforcement mats for use in a number of coating systems to provide increased strength and durability. The randomly orientated fibres within the mats give maximum multidirectional tensile strength to the membranes whilst allowing them to remain highly elastomeric. They may be used for total or partial reinforcement and may easily be moulded around protrusions, joints, corners and other surface details.

Reemat Premium is a heavier duty grade, with a feathered edge to one side. Reemat 300 is a narrower version of Reemat Premium that does not have a feathered edge and is designed for use for detailing areas.

Uses

- Sika Liquid Plastics Liquid Applied Roof Membranes For new construction and refurbishment projects
- For roofs with many details and complex geometry even when accessibility is limited

Characteristics / Advantages

- Easy and quick application of surface and details
- Adapts to all different shapes and profiles on the substrate surface
- Ensures the correct thickness of the base coat
- Enhance the crack-bridging properties of the base coat

Product Data

Form

Appearance White fibre glass matting

Packaging

Rolls
- 1.3 m wide by 128m (approx)
- 1.3 m wide by 90m (approx)
- 0.3m wide by 128m (approx.)

Storage

Storage Conditions / Shelf Life

Stored properly in original, unopened and undamaged sealed packaging in dry conditions, flat and wrinkle-free. Temperature 10 – 35 °C. Keep dry.

Technical Data

Chemical Base Random glass fibre matting

Density 225 g/m²



System Information

System Structure

System Build Up Refer to the specific product technical datasheet

Application Instructions

Application Method Refer to the specific product technical datasheet

Notes on Application

Health and Safety Information For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Material Safety Data Sheet containing physical, ecological, toxicological and other safety-related data.

Disclaimer The information, and, in particular, the recommendations relating to the application and end-use of Sika Liquid Plastics products, are given in good faith based on Sika Liquid Plastics' current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika Liquid Plastics' recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika Liquid Plastics reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

General Information

Specification Assistance NBS is the industry standard specification system, which allows architects, specifiers and engineers to insert clauses into specifications by manufacturer and product, making the process quicker and more efficient. We are members of NBS Plus and therefore detailed up-to-date product information is readily available to create accurate specifications.

Contact Details For further information please contact:
Sika Liquid Plastics
Sika House
Miller Street
Preston
Lancashire
PR1 1EA

Enquiry line: +44 (0)1772 259781
Fax: +44 (0)1772 255670
e-mail: liquidplastics@uk.sika.com

Registered office: Sika Ltd, Watchmead, Welwyn Garden City, Hertfordshire, AL7 1BQ
Registered in England: 226822

