

## Safety data sheet

Page: 1/14

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 02.09.2016 Version: 5.0

Product: MasterEmaco S 5400

(ID no. 30601878/SDS\_GEN\_GB/EN)

Date of print 28.01.2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

### MasterEmaco S 5400

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Product for construction chemicals

#### 1.3. Details of the supplier of the safety data sheet

Company:
BASF plc
PO Box 4, Earl Road, Cheadle Hulme,
Cheadle, Cheshire
SK8 6QG, UNITED KINGDOM

Telephone: +44 161 485-6222

E-mail address: product-safety-north@basf.com

#### 1.4. Emergency telephone number

Telephone: +49 180 2273-112

#### **SECTION 2: Hazards Identification**

#### 2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

Skin Corr./Irrit. 2 Eye Dam./Irrit. 1 STOT SE 3 (irritating to respiratory system)

Date / Revised: 02.09.2016 Version: 5.0

Product: MasterEmaco S 5400

(ID no. 30601878/SDS\_GEN\_GB/EN)

Date of print 28.01.2020

H318, H315, H335

For the classifications not written out in full in this section the full text can be found in section 16.

#### 2.2. Label elements

Globally Harmonized System, EU (GHS)

Pictogram:



### Signal Word:

Danger

Hazard Statement:

H318 Causes serious eye damage.

H315 Causes skin irritation.

H335 May cause respiratory irritation.

Precautionary Statement:

P102 Keep out of reach of children.

Precautionary Statements (Prevention):

P280 Wear protective gloves and eye/face protection.

P261 Avoid breathing dust.

P264 Wash with plenty of water and soap thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P315 Get immediate medical advice/attention.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P332 + P313 If skin irritation occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

#### According to Regulation (EC) No 1272/2008 [CLP]

Hazard determining component(s) for labelling: Cement, portland, chemicals, CALCIUM DIHYDROXIDE

#### 2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

Date / Revised: 02.09.2016 Version: 5.0

Product: MasterEmaco S 5400

(ID no. 30601878/SDS\_GEN\_GB/EN)

Date of print 28.01.2020

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

### **SECTION 3: Composition/Information on Ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

#### Chemical nature

modified cement mortar

Hazardous ingredients (GHS)

according to Regulation (EC) No. 1272/2008

Cement, portland, chemicals

Content (W/W): < 50 % Skin Corr./Irrit. 2 CAS Number: 65997-15-1 Eye Dam./Irrit. 1

EC-Number: 266-043-4 STOT SE 3 (irr. to respiratory syst.)

H318, H315, H335

Calcium dihydroxide

Content (W/W): < 5 % Skin Corr./Irrit. 2 CAS Number: 1305-62-0 Eye Dam./Irrit. 1 EC-Number: 215-137-3 H318, H315

REACH registration number: 01-

2119446671-38

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

#### **SECTION 4: First-Aid Measures**

#### 4.1. Description of first aid measures

First aid personnel should pay attention to their own safety. Remove contaminated clothing.

If inhaled:

After inhalation of dust. Keep patient calm, remove to fresh air. If difficulties occur: Obtain medical attention.

On skin contact:

Date / Revised: 02.09.2016 Version: 5.0

Product: MasterEmaco S 5400

(ID no. 30601878/SDS\_GEN\_GB/EN)

Date of print 28.01.2020

After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

#### On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

#### On ingestion:

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

### **SECTION 5: Fire-Fighting Measures**

### 5.1. Extinguishing media

Additional information:

Product itself is non-combustible. Only the packaging materials can catch fire. The extinguishing agents normally used are sufficient.

### 5.2. Special hazards arising from the substance or mixture

Product is not combustible or explosive. No particular hazards known.

#### 5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

#### Further information:

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered. The degree of risk is governed by the burning substance and the fire conditions. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

### **SECTION 6: Accidental Release Measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid contact with skin and eyes. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.

#### 6.2. Environmental precautions

Date / Revised: 02.09.2016 Version: 5.0

Product: MasterEmaco S 5400

(ID no. 30601878/SDS\_GEN\_GB/EN)

Date of print 28.01.2020

Do not discharge into drains/surface waters/groundwater.

### 6.3. Methods and material for containment and cleaning up

Sweep/shovel up.

#### 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

### **SECTION 7: Handling and Storage**

### 7.1. Precautions for safe handling

Avoid dust formation. The Cement contained in this product reacts alkaline when in contact with water or humidity. This may cause severe irritation of skin or mucous membranes. The humidity of the skin or mucous membranes is enough for this reaction. Prolonged direct contact to the dry product should be avoided therefore. Avoid inhalation of dusts. Avoid skin contact. Pour downwind and allow as little free fall as possible while emptying bags into equipment. Breathing must be protected when large quantities are decanted without local exhaust ventilation.

Protection against fire and explosion:

No special precautions necessary.

#### 7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

Protect from temperatures below: -15 °C Protect from temperatures above: 40 °C

### 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

### **SECTION 8: Exposure Controls/Personal Protection**

### 8.1. Control parameters

Components with occupational exposure limits

1305-62-0: Calcium dihydroxide

TWA value 5 mg/m3 (WEL/EH 40 (UK))
TWA value 5 mg/m3 (OEL (EU))

indicative

65997-15-1: Cement, portland, chemicals

TWA value 4 mg/m3 (WEL/EH 40 (UK)), Respirable dust TWA value 10 mg/m3 (WEL/EH 40 (UK)), Inhalable dust

Date / Revised: 02.09.2016 Version: 5.0

Product: MasterEmaco S 5400

(ID no. 30601878/SDS\_GEN\_GB/EN)

Date of print 28.01.2020

69012-64-2: Fumes, silica

TWA value 2.4 mg/m3 (WEL/EH 40 (UK)), Respirable dust TWA value 6 mg/m3 (WEL/EH 40 (UK)), Inhalable dust

### 8.2. Exposure controls

#### Personal protective equipment

Respiratory protection:

Breathing protection if dusts are formed. (Particle filter EN 143 P1)

Hand protection:

nitrile coated cotton gloves (e.g. EN 388, 374)

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen based on level of activity and exposure., light protective clothing

#### General safety and hygiene measures

Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Handle in accordance with good building materials hygiene and safety practice. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Contaminated equipment or clothing should be cleaned after each use or disposed of.

### **SECTION 9: Physical and Chemical Properties**

#### 9.1. Information on basic physical and chemical properties

Form: powder Colour: grey

Odour: characteristic

Odour threshold:

Not determined due to potential health hazard by inhalation.

pH value: approx. 12

(20 °C)

(as aqueous suspension)

Melting temperature:

not applicable

boiling temperature:

not applicable

Flash point:

not applicable

Evaporation rate:

The product is a non-volatile solid.

Date / Revised: 02.09.2016 Version: 5.0

Product: MasterEmaco S 5400

(ID no. 30601878/SDS\_GEN\_GB/EN)

Date of print 28.01.2020

Flammability: not flammable

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Vapour pressure:

The product has not been tested.

Relative vapour density (air):

The product is a non-volatile solid.

Solubility in water: dispersible

(20 °C)

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Viscosity, dynamic:

not applicable, the product is a solid

Explosion hazard: not explosive

Fire promoting properties: Based on its structural properties

the product is not classified as

oxidizing.

#### 9.2. Other information

Bulk density: approx. 1,200 kg/m3

Hygroscopic hygroscopic

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

### **SECTION 10: Stability and Reactivity**

#### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

#### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

#### 10.3. Possibility of hazardous reactions

The product is stable if stored and handled as prescribed/indicated.

#### 10.4. Conditions to avoid

See MSDS section 7 - Handling and storage.

Date / Revised: 02.09.2016 Version: 5.0

Product: MasterEmaco S 5400

(ID no. 30601878/SDS\_GEN\_GB/EN)

Date of print 28.01.2020

#### 10.5. Incompatible materials

Substances to avoid: strong bases, strong acids

#### 10.6. Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated.

### **SECTION 11: Toxicological Information**

### 11.1. Information on toxicological effects

#### **Acute toxicity**

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

#### **Irritation**

Assessment of irritating effects:

Skin contact causes irritation. May cause severe damage to the eyes.

Information on: Cement, portland, chemicals

Experimental/calculated data:

Skin corrosion/irritation rabbit: Irritant.

-----

Information on: Cement, portland, chemicals

Experimental/calculated data:

Serious eye damage/irritation rabbit: irreversible damage

-----

#### Respiratory/Skin sensitization

#### Assessment of sensitization:

There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Chromate in this product has been reduced. Sensitization due to chromate within stated shelf-live is unlikely.

#### Germ cell mutagenicity

#### Assessment of mutagenicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

Date / Revised: 02.09.2016 Version: 5.0

Product: MasterEmaco S 5400

(ID no. 30601878/SDS\_GEN\_GB/EN)

Date of print 28.01.2020

#### Carcinogenicity

#### Assessment of carcinogenicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

#### Reproductive toxicity

### Assessment of reproduction toxicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

### **Developmental toxicity**

#### Assessment of teratogenicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

#### Specific target organ toxicity (single exposure)

#### Assessment of STOT single:

Causes temporary irritation of the respiratory tract.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

#### Assessment of repeated dose toxicity:

No reliable data was available concerning repeated dose toxicity. Based on available Data, the classification criteria are not met.

#### Aspiration hazard

No data available.

#### Other relevant toxicity information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

### **SECTION 12: Ecological Information**

### 12.1. Toxicity

### Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

The product gives rise to pH shifts. Based on available Data, the classification criteria are not met.

Date / Revised: 02.09.2016 Version: 5.0

Product: MasterEmaco S 5400

(ID no. 30601878/SDS\_GEN\_GB/EN)

Date of print 28.01.2020

#### 12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

Inorganic product which cannot be eliminated from water by biological purification processes. The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

Not applicable for inorganic substances.

Elimination information:

not determined

#### 12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product will not be readily bioavailable due to its consistency and insolubility in water.

### 12.4. Mobility in soil

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface.

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

#### 12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

#### 12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

### 12.7. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

### **SECTION 13: Disposal Considerations**

#### 13.1. Waste treatment methods

Observe national and local legal requirements.

Residues should be disposed of in the same manner as the substance/product.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

Date / Revised: 02.09.2016 Version: 5.0

Product: MasterEmaco S 5400

(ID no. 30601878/SDS\_GEN\_GB/EN)

Date of print 28.01.2020

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

Completely emptied packagings can be given for recycling.

### **SECTION 14: Transport Information**

#### **Land transport**

**ADR** 

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

RID

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

#### **Inland waterway transport**

ADN

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user:

Transport in inland waterway vessel

Not evaluated

Date / Revised: 02.09.2016 Version: 5.0

Product: MasterEmaco S 5400

(ID no. 30601878/SDS\_GEN\_GB/EN)

Date of print 28.01.2020

#### Sea transport

#### **IMDG**

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

#### Air transport

#### IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

### 14.1. UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

#### 14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

#### 14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

#### 14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

### 14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

#### 14.6. Special precautions for user

Date / Revised: 02.09.2016 Version: 5.0

Product: MasterEmaco S 5400

(ID no. 30601878/SDS\_GEN\_GB/EN)

Date of print 28.01.2020

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation: Not evaluated
Shipment approved: Not evaluated
Pollution name: Not evaluated
Pollution category: Not evaluated
Ship Type: Not evaluated

### **SECTION 15: Regulatory Information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

### 15.2. Chemical Safety Assessment

Chemical Safety Assessment not required

#### **SECTION 16: Other Information**

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned

in section 2 or 3:

Skin Corr./Irrit. Skin corrosion/irritation

Eve Dam./Irrit. Serious eve damage/eve irritation

STOT SE Specific target organ toxicity — single exposure

H318 Causes serious eye damage.

H315 Causes skin irritation.

H335 May cause respiratory irritation.

If you have any queries relating to this MSDS, it's contents or any other product safety related questions, please write to the following e-mail address: product-safety-north@basf.com

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Page: 14/14

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time. Date / Revised: 02.09.2016 Version

Version: 5.0

Product: MasterEmaco S 5400

(ID no. 30601878/SDS\_GEN\_GB/EN)

Date of print 28.01.2020

Vertical lines in the left hand margin indicate an amendment from the previous version.