

SAFETY DATA SHEET

Sikagard 552W Aquaprimer

Date of issue - 09/04/2002. SGD55AQP

PRODUCT AND COMPANY IDENTIFICATION

Product Code SGD55AQP

Product Name Sikagard 552W Aquaprimer

Product Description Water based primer for use on concrete with Sikagard protective

coatings.

Manufacturer/Supplier Sika Limited
Watchmead

Welwyn Garden City Hertfordshire.

AL7 1BQ tel. 01707 394444 Fax. 01707 329129

COMPOSITION/INFORMATION ON THE COMPONENTS

Hazardous Components in Product The product does not contain any substances classified as hazardous

under current regulations.

Chemical Characteristic Aqueous dispersion of an acrylate copolymer.

HAZARD IDENTIFICATION

Main Hazards None.

Not classified as hazardous.

FIRST AID MEASURES

Eye Contact Immediately flood the eye with plenty of water for at least 15 minutes,

holding the eye open.

Eyelids should be held away from the eyeball to ensure thorough

rinsing.

Obtain medical attention if soreness or redness persists.

Skin Contact Wash skin thoroughly with soap and water.

If material proves difficult to remove, use suitable skin cleanser (not

solvent).

Contaminated clothing should be washed or dry-cleaned before re-use.

Ingestion Wash out mouth with water.

Have victim drink 240-300ml of water. If vomiting occurs naturally, rinse

mouth and repeat administration of water.

Obtain medical attention.

Inhalation Remove from exposure.

Unlikely to occur. However provide symptomatic medical treatment if

required.

FIRE FIGHTING MEASURES

Extinguishing Media Not combustible.

Select extinguishing agent appropriate to other materials involved.

Special Hazards of Product

Combustion will produce smoke,carbon dioxide and carbon monoxide.

Protective Equipment for Fire-Fighting Wear self contained breathing apparatus.

CM Version - 1.01 Page: 1/4



SAFETY DATA SHEET Sikagard 552W Aquaprimer

Date of issue - 09/04/2002. SGD55AQP

ACCIDENTAL RELEASE MEASURES

Personal Precautions

Environmental Precautions and

Clean-up Methods

Spillages

Wear appropriate protective clothing.

Try to prevent the material from entering drains or water courses.

Contain and absorb using earth, sand or other inert material. Transfer into suitable containers for recovery or disposal. Small spillages may be flushed with large quantities of water.

HANDLING AND STORAGE

Handling Use in well ventilated area.

Avoid contact with eyes, skin and clothing. Keep container tightly closed when not in use.

Storage Storage area should be: cool. dry.

Store in original containers. Protect from extremes of cold. Storage temperature should be controlled to between 5 and 25 °C.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Control Measures

Use of the basic principles of Industrial Hygiene will enable this

material to be used safely.

Respiratory Protection Respiratory protection not normally required.

Hand Protection Wear suitable impervious gloves. (butyl / nitrile type)

Eye Protection Wear safety glasses if risks of accidental contamination are possible

during application.

PHYSICAL AND CHEMICAL PROPERTIES

Physical StateLiquid.ColorMilky-white.OdorCharacteristic.pH9.5 (typical)Flash Point °CNot applicable.Solubility - WaterEmulsifies.

Density (kg/m3) Approx. 1000 at 20 °C.

Viscosity (at 20°C) Mobile liquid.

STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Conditions to avoid Protect from frost

Materials to avoid None under normal conditions.

Hazardous Decomposition Products

After evaporation of water, combustion will generate: oxides of carbon.

acrylic monomers, acrid smoke and irritating fumes.

CM Version - 1.01 Page: 2/4



SAFETY DATA SHEET Sikagard 552W Aquaprimer

Date of issue - 09/04/2002. SGD55AQP

TOXICOLOGICAL INFORMATION

Acute toxicity Low order of acute toxicity.

Eye irritation May cause slight transient irritation.

Skin irritation Frequent or prolonged skin contact may cause some local short term

skin irritation.

ECOLOGICAL INFORMATION

Mobility Mobile liquid. Emulsifiable in water.

Persistence/degradability The product is expected to be readily biodegradable.

Ecotoxicity Maybe harmful to aquatic species

DISPOSAL

Product Disposal Arrange for disposal via a licensed waste contractor.

Container Disposal Dispose of containers with care. Containers should be cleaned by

appropriate methods and then re-used or disposed of by landfill or

incineration as appropriate.

Empty packaging should be removed by a licensed waste contractor.

TRANSPORT INFORMATION

ADR/RID Proper shipping name

IMDG: Proper shipping name

Not Regulated under ADR/RID

Not Regulated under IMDG

IATA: Proper shipping name

Not Regulated under IMDG

Not Regulated under ICAO

REGULATORY INFORMATION

Risk Phrases None assigned.

Safety Phrases None assigned

OTHER INFORMATION

First Issue Date 13.02.1996

Revisions Highlighted Physical and Chemical Properties

Ecological Information

Uses and Restrictions Customers are urged to ensure that the product is entirely suitable for

their own purpose. It is the customer's responsibility to ensure that a suitable and sufficient assessment of the risks created by the use of

the product is undertaken.

UK Legislation
Health and Safety at Work etc Act, 1974, and relevant Statutory

Provisions.

Chemicals (Hazard Information and Packaging) Regulations, 2002. SI 1999/437: The Control of Substances Hazardous to Health

Regulations

SI No 2839 1991 Environmental Protection (Duty of Care) Regulations.

UK Guidance PublicationsGeneral Approved Code of Practice to COSHH Regulations, HSE.

CM Version - 1.01 Page: 3/4



SAFETY DATA SHEET Sikagard 552W Aquaprimer

Date of issue - 09/04/2002.

SGD55AQP

Footnote

The information contained in this SDS corresponds to our level of knowledge at the time of publication.All warranties are excluded.Our most current General Sales Conditions shall apply. Please consult the Technical Data Sheet prior to use.